### **DENON®**

**PMA-1600NE** 

**INTEGRATED AMPLIFIER** 

## **Quick Start Guide**

Kurzanleitung / Guide de démarrage rapide / Guida di Avvio Rapido / Guía de inicio rápido / Snelhandleiding / Snabbstartsguide / Краткое руководство пользователя / Skrócona instrukcja obsługi

### Read Me First....

Bitte zuerst lesen... / Lisez-moi en premier.... / Nota preliminare.... / Lea esto primero.... / Lees mij eerst... / Läs detta först... / Прочитайте в первую очередь... / Przeczytaj to najpierw....

**ENGLISH** 

**DEUTSCH** 

FRANCAIS

ITALIAN0

**ESPAÑOL** 

**NEDERLANDS** 

SVENSKA

РУССКИЙ

POLSKI

### Welcome

Thank you for choosing a Denon amplifier. This guide provides step-by-step instructions for setting up your amplifier.

### Please do not return this unit to the store – call for assistance.

#### If you need help...:

If you need additional help in solving problems, contact Denon customer service in your area.


For details, see the Denon homepage. www.denon.com

### **Before You Begin**


### What's In the Box

Quick Start Guide		Power cord	
Owner's Manual		Remote control unit	<b>1 2 3 3 3 3 3 3 3 3 3 3</b>
Safety Instructions		R03/AAA batteries	
Integrated Amplifier	:O =0		

### **Required for Basic connections**



### **Optional**






These drawings are for illustrative purposes only and may not represent the actual product(s).

### Setup


There are seven steps to the setup process.

- 1 Install batteries in the remote control unit
- 2 Connect the speakers to the amplifier
- 3 Connect the CD player to the amplifier
- 4 Plug the power cord into a power outlet
- 5 Begin CD playback
- 6 Installing the Windows driver software
- 7 Enjoying music using PC or Mac

# Install batteries in the remote control unit



## 2 Connect the speakers to the amplifier



### **Connecting the speaker cables**

① Peel off about 10 mm of sheathing from the tip of the speaker cable, then either twist the core wire tightly or apply solder to it.



2 Turn the speaker terminal counterclockwise to loosen it.




3 Insert the speaker cable's core wire to all the way into the speaker terminal.




4 Turn the speaker terminal clockwise to tighten it.




## 3 Connect the CD player to the amplifier



## 4 Plug the power cord into a power outlet



## 5 Begin CD playback



- Press the power operation button.

  Turn VOLUME on the main unit to adjust the volume to the lowest level before turning on the power.
- Set the input source to "CD".

  "CD" is displayed on the display of this unit.
- 3 Play the CD player.



4 Adjust the volume.

## 6 Installing the Windows driver software

#### NOTE

The installation of the driver software is not necessary in the following cases.

- When you do not play back the music from a PC using USB-DAC of this unit.
- When using a Mac OS.
- Download the dedicated driver from the "Download" section of the PMA-1600NE page of the Denon website (<a href="http://www.denon.com/pages/home.aspx">http://www.denon.com/pages/home.aspx</a>) onto your PC.
- Unzip the downloaded file, and double-click the exe file.
- Install the driver.
  - 1) Select the language to use for the installation.
  - (2) Click "OK".



- 3 The wizard menu is displayed. Follow the instructions on the screen.
- 4) When the wizard is completed, click "Yes".



#### NOTE

- The driver software cannot be installed correctly if your PC is connected to the unit by a USB cable.
- If the unit and your computer are connected by a USB cable and the computer is switched on before installation, disconnect the USB and restart the computer.
- Please see the FAQ at <u>www.denon.com</u> if you experience any issues getting audio to play from your computer through the PMA-1600NE. You may also want to check the support pages for your audio player application.

## 7 Enjoying music using PC or Mac

### □ Connect to PC or Mac

Connect to PC or Mac.

Type A

USB 2.0 cable (Sold separately)

Type B

Computer on which the driver software and audio player software are installed

Press & on this unit.

• When the unit power is turned on, the computer automatically finds and connects to the unit.

### ☐ Listen to PC or Mac Audio

Press USB-DAC to change the input source to "USB-DAC".



2 Set the audio signal destination to this unit on the computer.

### **System Requirements**

- Windows 7, Windows 8, Windows 8.1 or Windows 10
- Mac OS X 10.9, 10.10 or 10.11


#### [Windows OS]

- ① Click the "Start" button and click "Control Panel" on the PC.
  - The control panel setting list is displayed.
- (2) Click the "Sound" icon.
  - The sound menu window is displayed.

- ③ Check that there is a checkmark next to "Default Device" under in "PMA-1600NE" of the "Playback" tab.
  - When there is a checkmark for a different device, click "PMA-1600NE" and "Set Default".
- 4 Select "PMA-1600NE" and click "Properties".
  - The PMA-1600NE Properties window is displayed.




- (5) Click the "Advanced" tab.
- Select the sampling rate and bit rate to be applied to the D/A converter.
  - It is recommended that "2 channel, 24 bit, 192000 Hz (Studio Quality)" is selected (Windows 7).
  - It is recommended that "2 channel, 32 bit, 192000 Hz (Studio Quality)" is selected (Windows 8/Windows 8.1/Windows 10).
- 7 Click "Apply".
- 8 Click "Test".
  - Check that audio from this unit is output from the PC.




### [Mac OS X]

- ① Move the cursor to "Go" on the computer screen, and then click "Utilities".
  - The utility list is displayed.
- 2 Double-click "Audio MIDI Setup".
  - The "Audio Devices" window is displayed.
- 3 Check that "Use this device for sound output" is checked in "PMA-1600NE".
  - If a different device is checked, select and "Secondary click" on "PMA-1600NE", and then select "Use this device for sound output".



- 4 Select the "PMA-1600NE" format.
  - It is normally recommended to set the format to "384000.0 Hz" and "2ch-32 bit Integer".



5 Click "Quit Audio MIDI Setup".

### Use your favorite music applications on your PC/ Mac to play audio through the PMA-1600NE.

• For high resolution audio playback you will need to obtain an advanced audio player software such as JRiver Media Center or Audirvana.

USB: DSD 11.2MHz

The type of music file and sampling frequency are displayed.

4 Adjust the volume.



#### NOTE

Additional settings to output audio to the PMA-1600NE may have to be selected in your advanced audio player application. Please refer to the user's manual for your application.

### **Owner's Manual**

Please reference to the Owner's Manual for more details about the setup and operation of the amplifier and its features.

### □ Online Version

Enter the following URL into your web browser: manuals.denon.com/PMA1600NE/EU/EN/



#### Online Manual



### **□** Printable Version

Access the print version of the owner's manual from the included CD-ROM or select the "PDF Download" link from the Online Version.

Insert the disc into your PC.



2 Follow the screen or double click on the PDF file.

